

Common Billing Errors

Medications can often be described using two measures, so it is important to choose the correct unit of measure when billing.

Medication	Correct Unit of Measure for Billing	Quantity	Days Supply
Byetta 5mcg	mL (Submit in decimal format; do not round)	1.2	30
Byetta 10mcg	mL (Submit in decimal format; do not round)	2.4	30
Copaxone	Each	1	30
Diastat ACDL Gel	Kit (Kit contains 2 syringes bill # of Kits)	1	Varies
Fragmin	mL (Submit in decimal format; do not round)	Varies	Varies
Humira	Each	2	30
Lovenox	mL (Submit in decimal format; do not round)	Varies	Varies
Miacalcin NS	mL (Submit in decimal format; do not round)	3.7	30
Nascobal	mL (Submit in decimal format; do not round)	Varies; claims should be divisible by 2.3mL	30
Neupogen 400mcg	mL (Submit in decimal format; do not round)	Varies; claims should be divisible by 1.6mL	30
Neupogen 600mcg	mL (Submit in decimal format; do not round)	Varies; claims should be divisible by 0.5mL	30
Pegasys	Kit	1	28
Peranex HC	Each	1	Varies
Rebif Pack	mL (Submit in decimal format; do not round)	4.2	30
Rebif Syringe	mL (Submit in decimal format; do not round)	6	30
Restasis	Each	32/64	30
Risperdal Consta	Each	2	28
Stadol NS	mL (Submit in decimal format; do not round)	Varies	Varies
Xopenex HFA	Gm	Varies; claims should be divisible by 15gm	Varies